


Product sheet printed on: 2025-08-02 23:27:36

MAGS 3" SPOT

MAGS Series 3 in Spot Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be moved easily as desired. MAGS-D03 is a DRY rated Magnetic Track, MicroSpot Aluminum light offered in a black or white finish. This Light Fixture is CETL listed and contains 3 lights, total of 4 watts and delivers 240 lumens. Offered in choice of 12, 34, or 48 degree beam spreads and choice of 2700K, 3000K, 3500K, or 4000K CCT. Osram LED module with >90 CRI. Dimmable via 24V remote driver needed.





Model Number Configuration



PROJECT NAME: FIXTURE TYPE:

Product sheet printed on: 2025-08-02 23:27:36

Electrical

Voltage 24V

Dimming Driver dependent

 $\begin{array}{ll} \textbf{Power} & 4 \text{W} \\ \textbf{Lumens} & 240 \\ \textbf{Power factor} & \text{N/A} \end{array}$

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Installation Fixture engages with track system electrically and mechanically via magnetic connection and can be

moved easily as desired.

Cord Legth N/A

Dimensions 3.25" L x 1.375" x 2.125" H

Weight .5 lbs

Material Aluminum

Finish Powder Coated

Towar coan

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



Product sheet printed on: 2025-08-02 23:27:36

Φ(m)

Ф0.58

Ф1.16

Ф1.75

Ф2.33

Ф2.92

Photometric and Light Distribution


4

5

30°

41

26



Ф3.30

Ф4.13