




# MAGS 12" SPOT LINEAR

MAGS Series Light Fixture. The fixture engages with the track system electrically and mechanically via a magnetic connection and can be moved easily along the track. Model MAGS-D12 is a DRY rated Magnetic Track, MicroSpot Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and contains 12 lights, uses a total of 16 watts. Downlight delivering 1020 lumens using a Osram LEDModule with >90 CRI. Choose 12, 34, or 48-degree beam spreads, and choose 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver (sold separately). Fixture Dimensions are 2.125 inches tall x 12.625 inches wide x 1.375 inches deep.





#### **Model Number Configuration**

D12			
	Optics	CCT	Finish
	☐ D12 - 20° ☐ D34 - 34° ☐ D48 - 48°	☐ 27 - 2700K ☐ 30 - 3000K ☐ 35 - 3500K ☐ 40 - 4000K	□ BL - Black □ WH - White



PROJECT NAME: FIXTURE TYPE:

Product sheet printed on: 2025-08-02 23:37:55

#### **Electrical**

Voltage 24V

**Dimming** Driver dependent

 Power
 16W

 Lumens
 1020

 Power factor
 N/A

### **Environmental**

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

**Listings** C-ETL Listed to UL1598

#### Mechanical

**Dimensions** 12.625" L x 1.375"W x 2.125"H

Weight 1.23 lbs

Material Aluminum

**Finish** Powder Coated

## **Driver Options**

**Driver code** PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



60°

30°

Product sheet printed on: 2025-08-02 23:37:55

## Photometric and Light Distribution

2

3

4

5


&ذ

693

308

173

110



Ф1.58

Ф2.37

Ф3.16

Ф3.95