




MAGS 6" FOLD ADJUSTABLE SPOT

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be moved easily along the track. Model MAGS-F06 is a DRY rated Magnetic Track, 90 Deg Foldable MicroSpot Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and contains 6 lights, using a total of 8 watts,. Downlight delivering 520 lumens using a Osram LEDModule with >90 CRI. Choose 12, 34, or 48-degree beam spreads, and choose 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver (sold separately). Fixture Dimensions are 7.125 inches tall x 6.375 inches wide x 1.375 inches deep.





Model Number Configuration

| F06 | | | |
|-----|-------------------------------------|--|---------------------------|
| | Optics | ССТ | Finish |
| | □ D12 - 20° □ D34 - 34° □ D48 - 48° | ☐ 27 - 2700K ☐ 30 - 3000K ☐ 35 - 3500K ☐ 40 - 4000K | □ BL - Black □ WH - White |



PROJECT NAME:

FIXTURE TYPE:

Product sheet printed on: 2025-08-02 20:10:46

Electrical

Voltage 24V

Dimming Driver dependent

 Power
 8W

 Lumens
 520

 Power factor
 N/A

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Dimensions 6.375"L x 1.375"W x 7.125"H

Weight 2.07 lbs

Material Aluminum

Finish Powder Coated

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



60°

30℃

Product sheet printed on: 2025-08-02 20:10:46

Photometric and Light Distribution

&ذ

3


4

5

143

80

51



Ф2.37

Ф3.16

Ф3.95