




Product sheet printed on: 2025-08-02 20:13:04

MAGS 6" GLOBE

MAGS Series Light Fixture. The fixture engages with the track system electrically and mechanically via a magnetic connection and can be easily moved along the track. Model MAGS-GD is a DRY rated Magnetic Track, Glass Globe Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and consumes a total of 5 watts, Diffuse Lens delivering 680 lumens using an Osram LEDModule with >90 CRI. Choose 2700K, 3000K, 3500K, or 4000k CCT. Dimmable via 24V Volt Remote Driver needed. Fixture Dimensions are 8.5 inches tall x 6.375 inches wide x 5.875 inches deep.





Model Number Configuration

GD			
	Optics	ССТ	Finish
	□ DIF - Diffuse	☐ 27 - 2700K ☐ 30 - 3000K ☐ 35 - 3500K ☐ 40 - 4000K	□ BL - Black □ WH - White



PROJECT NAME: FIXTURE TYPE:

Product sheet printed on: 2025-08-02 20:13:04

Electrical

Voltage 24V

Dimming Driver dependent

 Power
 5W

 Lumens
 680

 Power factor
 N/A

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Dimensions 6.375"L x 5.875"W x 8.5"H

Weight 1.37 lbs

Material Aluminum and glass

Finish Powder Coated

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



Product sheet printed on: 2025-08-02 20:13:04



Photometric and Light Distribution

