




MAGS 3" DIFFUSED LINEAR

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be easily moved along the track. Model MAGS-L08 is a DRY rated Magnetic Track, Linear Lensed Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and consumes a total of 4 watts. Diffuse Lens delivering 240 lumens using an Osram LEDModule with >90 CRI. Choose 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver needed. Fixture Dimensions are 2.125 inches tall x 3.25 inches wide x 1.375 inches deep.





Model Number Configuration

L08			
	Optics	ССТ	Finish
	□ DIF - Diffuse	☐ 27 - 2700K ☐ 30 - 3000K ☐ 35 - 3500K ☐ 40 - 4000K	□ BL - Black □ WH - White



PROJECT NAME: FIXTURE TYPE:

Product sheet printed on: 2025-08-31 23:47:44

Electrical

Voltage 24V

Dimming Driver dependent

 Power
 4W

 Lumens
 240

 Power factor
 N/A

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Dimensions 3.25"L x 1.375"W x 2.125"H

Weight .44 lbs

Material Aluminum and polycarbonate

Finish Powder Coated

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



Product sheet printed on: 2025-08-31 23:47:44



Photometric and Light Distribution

