




# MAGS 6" DIFFUSED CURVED

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be easily moved along the track. Model MAGS-L16CIRC is a DRY-rated Magnetic Track, Curved, Lensed Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and consumes a total of 7 watts, Diffuse Lens delivering 300 lumens using an Osram LEDModule with >90 CRI. Choose 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver needed. Fixture Dimensions are 2.25 inches tall x 7.5 inches wide x 1.25 inches deep.





### **Model Number Configuration**





PROJECT NAME:

FIXTURE TYPE:

Product sheet printed on: 2025-08-02 20:17:57

## **Electrical**

Voltage 24V

**Dimming** Driver dependent

 Power
 7W

 Lumens
 300

 Power factor
 N/A

### **Environmental**

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

**Listings** C-ETL Listed to UL1598

### Mechanical

**Dimensions** 7.5"L  $\times 1.25$ "W  $\times 2.25$ "H

Weight .97 lbs

Material Aluminum and polycarbonate

**Finish** Powder Coated

# **Driver Options**

**Driver code** PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.







# **Photometric and Light Distribution**

