
## FORMAE

PROJECT NAME: FIXTURE TYPE: Product sheet printed on: **2025-08-31 23:42:59** 

# MAGS 12" DIFFUSED LINEAR

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be easily moved along the track. Model MAGS-L32 is a DRY rated Magnetic Track, Linear Lensed Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and consumes a total of 16 watts, Diffuse Lens delivering 660 lumens using an Osram LEDModule with >90 CRI. Choose 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver needed. Fixture Dimensions are 2.125 inches tall x 12.625 inches wide x 1.375 inches deep.





#### **Model Number Configuration**

L32			
	Optics	ССТ	Finish
	☐ DIF - Diffuse	□ 27 - 2700K □ 30 - 3000K □ 35 - 3500K □ 40 - 4000K	□ BL - Black □ WH - White

LuxFormae Corp. | New York, NY 10018, USA | www.luxformae.com | sales@luxformae.com - Copyright 2024 LuxFormae Corp. Pictures, descriptions and technical data have to be considered as purely indicative. While maintaining the basic characteristics of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.



#### Electrical

Voltage	24V
Dimming	Driver dependent
Power	16W
Lumens	660
Power factor	N/A

#### **Environmental**

CRI	>90
Environment	Dry
Light Source	LED
Chip	Osram
Life rating	N/A
Listings	C-ETL Listed to UL1598

#### Mechanical

Installation	N/A
Cord Legth	N/A
Dimensions	12.625"L x 1.375"D x 2.125"H
Weight	1.19 lbs
Material	Aluminum and polycarbonate
Finish	Powder Coated

#### **Driver Options**

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100% dimming. Up to 20 Small or 10 Large Pendants.



### **Photometric and Light Distribution**

