




MAGS 12" DIFFUSED LINEAR

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be easily moved along the track. Model MAGS-L32 is a DRY rated Magnetic Track, Linear Lensed Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and consumes a total of 16 watts, Diffuse Lens delivering 660 lumens using an Osram LEDModule with >90 CRI. Choose 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver needed. Fixture Dimensions are 2.125 inches tall x 12.625 inches wide x 1.375 inches deep.



12.625"	1.375"
	72,
	375

Model Number Configuration





PROJECT NAME: FIXTURE TYPE:

Product sheet printed on: 2025-08-02 20:15:06

Electrical

Voltage 24V

Dimming Driver dependent

 Power
 16W

 Lumens
 660

 Power factor
 N/A

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Dimensions 12.625"L x 1.375"D x 2.125"H

Weight 1.19 lbs

Material Aluminum and polycarbonate

Finish Powder Coated

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



Product sheet printed on: 2025-08-02 20:15:06



Photometric and Light Distribution

