


# MAGS 2-LIGHT Ø1.4IN SPOTS

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be easily moved along the track. Model MAGS-S35T is a DRY rated Magnetic Track, Adjustable Double-Head Spotlight Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and contains 2 lights, total of 2x5 watts, delivering 720 lumens using an Osram LEDModule with >90 CRI. Choice of 20, 30, 40, or 60 degree beam spread. Choice of 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver (sold separately). Spotlight Dimensions are 8.75 inches long x 1.375 inches diameter with a 90 degree tilt and 360 degree rotation.





### **Model Number Configuration**

S35T			
	Optics	ССТ	Finish
	□ D20 - 20°	☐ 27 - 2700K	☐ BL - Black
	□ D30 -30°	☐ 30 - 3000K	☐ WH - White
	☐ D40 -40°	☐ 35 - 3500K	
	□ D60 -60°	☐ 40 - 4000K	



PROJECT NAME:

FIXTURE TYPE:

Product sheet printed on: 2025-08-31 23:42:14

## **Electrical**

Voltage 24V

**Dimming** Driver dependent

 Power
 2 x5W

 Lumens
 720

 Power factor
 N/A

#### **Environmental**

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

**Listings** C-ETL Listed to UL1598

#### Mechanical

**Dimensions** 8.75" L x 1.375" diameter with a 90-degree tilt and 360-degree rotation.

Weight 1.04 lbs

Material Aluminum

**Finish** Powder Coated

## **Driver Options**


**Driver code** PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



Product sheet printed on: 2025-08-31 23:42:14

## Photometric and Light Distribution



Ф0.43

Ф0.87

Ф1.30

Ф1.74

Ф2.17

1963

490

218

122

78

2

3

4

5