




MAGS Ø2" SPOT FOR CIRCULAR TRACK

MAGS Series Light Fixture. Fixture engages with track system electrically and mechanically via magnetic connection and can be easily moved along the track. Model MAGS-S5CIRC is a DRY rated Magnetic Track, Adjustable Spotlight for Curved Track Aluminum light offered in a Black or white finish. This Light Fixture is CETL listed and contains 1 lights, using a total of 10 watts, delivering 870 lumens using an Osram LEDModule with >90 CRI. Choice of 18, 24, or 36 degree beam spreads. Choice of 2700K, 3000K, 3500K, 4000K, 5000K or 6500K CCT. Dimmable via 24V Volt Remote Driver (sold separately). Spotlight Dimensions are 7.5 inches long x 2 inches diameter with a 90 degree tilt and 360 degree rotation.





Model Number Configuration

S5CIRC			
	Optics	ССТ	Finish
	□ D18 - 18°	☐ 27 - 2700K	☐ BL - Black
	□ D24 - 24°	☐ 30 - 3000K	☐ WH - White
	□ D36 - 36°	☐ 35 - 3500K	
		☐ 40 - 4000K	



PROJECT NAME: FIXTURE TYPE:

Product sheet printed on: 2025-08-02 23:26:07

Electrical

Voltage 24V

Dimming Driver dependent

 Power
 10W

 Lumens
 870

 Power factor
 N/A

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Osram
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Dimensions 7.5"L x 2" diameter with a 90 degree tilt and 360 degree rotation.

Weight 1.15 lbs

Material Aluminum

Finish Powder Coated

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants.



Product sheet printed on: 2025-08-02 23:26:07

Photometric and Light Distribution

3


4

5

230

129

83



Ф1.94

Ф2.58

Ф3.23