


MAGS MINI CONE PENDANT

MAGS Mini Series Magnetic Track, Cone Pendant Light Fixture. Choice of black or white finish. CETL listed. 6.65 inches diameter, 58 inch maximum overall height. 1 Light, 10 watt, Cree LED delivering 264 lumens. +90 CRI. 65-degree beam spread. Choice of 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver, sold separately.





Model Number Configuration

MAGS-ES-CN			
	Optics	ССТ	Finish
	□ D65 - 65°	☐ 27 - 2700K ☐ 30 - 3000K ☐ 35 - 3500K ☐ 40 - 4000K	□ BL - Black □ WH - White



PROJECT NAME:

FIXTURE TYPE:

Product sheet printed on: 2025-11-30 15:45:12

Electrical

Voltage 24V

Dimming Driver dependent

 $\begin{array}{ll} \textbf{Power} & 10 \text{W} \\ \textbf{Lumens} & 264 \\ \textbf{Power factor} & \text{N/A} \end{array}$

Environmental

CRI >90
Environment Dry
Light Source LED
Chip Cree
Life rating N/A

Listings C-ETL Listed to UL1598

Mechanical

Dimensions 6.65" Dia x 54" maximum overall height

Weight N/A

Material Aluminum

Finish Powder Coated

Driver Options

Driver code PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100%

dimming. Up to 20 Small or 10 Large Pendants. |PS-60-ELV - 60W, 24V Power Supply. 120V Only with

ELV Dimming to 10%. Fits in 4x4 Rectangular Junction Box.



Product sheet printed on: 2025-11-30 15:45:12



Photometric and Light Distribution

