


MAGS MINI CONE PENDANT

MAGS Mini Series Magnetic Track, Cone Pendant Light Fixture. Choice of black or white finish. CETL listed. 6.65 inches diameter, 58 inch maximum overall height. 1 Light, 10 watt, Cree LED delivering 264 lumens. +90 CRI. 65-degree beam spread. Choice of 2700K, 3000K, 3500K, or 4000K CCT. Dimmable via 24V Volt Remote Driver, sold separately.



Model Number Configuration

MAGS-ES-CN	---	---	---
Optics	CCT	Finish	
<input type="checkbox"/> D65 - 65°	<input type="checkbox"/> 27 - 2700K	<input type="checkbox"/> BL - Black	
	<input type="checkbox"/> 30 - 3000K	<input type="checkbox"/> WH - White	
	<input type="checkbox"/> 35 - 3500K		
	<input type="checkbox"/> 40 - 4000K		

Electrical

Voltage	24V
Dimming	Driver dependent
Power	10W
Lumens	264
Power factor	N/A

Environmental

CRI	>90
Environment	Dry
Light Source	LED
Chip	Cree
Life rating	N/A
Listings	C-ETL Listed to UL1598

Mechanical

Installation	N/A
Cord Length	N/A
Dimensions	6.65" Dia x 54" maximum overall height
Weight	N/A
Material	Aluminum
Finish	Powder Coated


Driver Options

Driver code	PS-96-24-UNI-UNI - Universal input (120-277V) and Universal dimming (ELV, TRIAC, 0-10V) 0-100% dimming. Up to 20 Small or 10 Large Pendants. PS-60-ELV - 60W, 24V Power Supply. 120V Only with ELV Dimming to 10%. Fits in 4x4 Rectangular Junction Box.
--------------------	--

Photometric and Light Distribution

D65

Diffuse



h(m)	E(lx)	Φ(m)
1	333	Φ1.24
2	83	Φ2.48
3	37	Φ3.72
4	20	Φ4.96
5	13	Φ6.20