

# SHAPES 2.0 X 2.0 LINEAR CONNECTORS

Shapes 2.0 x 2.0 Linear Connectors expand the versatility of your Shapes lighting system. With 14 unique angle combinations, these connectors allow designers to link existing Linear pendants and Circular connectors or create entirely new configurations using just the connectors themselves.

Each connector is available in all Shapes profile finishes and CCT options, and includes integrated LED modules and polycarbonate diffusers for smooth, uniform illumination. Whether forming geometric patterns, architectural grids, or custom layouts, these connectors make it easy to create visually compelling, fully diffused lighting arrangements that maintain the refined aesthetic and quality of the Shapes system.

## Key Features:

- 14 linear angle combinations for maximum design flexibility
- Compatible with Shapes 2.0 x 2.0 Linear Pendants and Circular Connectors
- Offered in all profile finishes and CCT lighting types
- Integrated LED modules and polycarbonate diffusers for soft, uniform illumination
- High visual comfort, flicker-free performance
- Enables fully custom shapes and layouts using modular

## Model Number Configuration





DF- Diffused

--  
**CCT**

24 - 2400K

27 - 2700K

30 - 3000K

35 - 3500K

40-4000K

RGB - RGB

RGBW - RGBW

TUN - Tunable white

PROJECT NAME:

Fixture Type:

**Finish**

Product sheet printed on: **2026-02-21 16:29:52**

See Data Sheet

## Electrical

<b>Voltage</b>	120-277V
<b>Dimming</b>	0-10V
<b>Power</b>	N/A
<b>Lumens</b>	N/A
<b>Power factor</b>	N/A

## Environmental

<b>CRI</b>	90+
<b>Environment</b>	Dry
<b>Light Source</b>	LED
<b>Chip</b>	N/A
<b>Life rating</b>	N/A
<b>Listings</b>	C-ETL Listed to UL1598

## Mechanical

<b>Installation</b>	N/A
<b>Cord Length</b>	N/A
<b>Dimensions</b>	2"x2" profile
<b>Weight</b>	N/A
<b>Material</b>	Aluminum, Polycarbonate
<b>Finish</b>	See following pages to select finishes

## Driver Options

<b>Driver code</b>	N/A
--------------------	-----