Product sheet printed on:

# LIGHTBOX 3.9

Light Box is a limitless opportunity to design with light. Using aluminum frames with fabric diffusing medium, Light Box allows the bespoke creation of illuminated geometric shapes in small—to large-scale sizes.

Light Box can be surface mounted, recessed, or suspended as elements of architectural embellishment and for ambient illumination.

Choose mounting type, LED Type(choice of 2700K, 3000K, 3500K, 4000K, Tunable White 2700K-4000K, 3000K RGBW, or 4000K RGBW), and Dimming (O-10V, DMX), and specify overall dimensions. Aluminum frames are offered in aluminum, painted white, or black finishes.

Seamless fabrics are offered up to 12' wide and 50' long, Seamed fabrics can be larger. The standard fabric is white for optimal diffusion, and custom printing options are available.









#### **Model Number Configuration**

3X							
	Mounting	ССТ	Dimming	Depth	Fabric Width	Fabric	Finish
	☐ Ceiling - Surface	☐ 27 - 2700K	□ 0-10V	3.9 - 3.94"	Max 12'	<b>Length</b> ☐ Max 50'	AL - Aluminum
	Recessed - Rods	☐ 30 - 3000K	□ DMX				☐ BL- Black
	Recessed - Cable	☐ 35 - 3500K					☐ WH - White
	☐ Wall - Surface	☐ 40 - 4000K					
	☐ Wall - Recessed	☐ 2740 - 2700K - 4000K Tunable					
	Pendant - Rods	RGBW30 - RGB w					
	Pendant - Cable	RGBW40- RGB wi	th 4000K				



PROJECT NAME:

FIXTURE TYPE:

Product sheet printed on:

# Mounting

LightBox offers mounting options for all situations:

Ceiling	Surface	Screws
	Recessed	Rods (Unistrut)
		Aircraft Cable
Wall	Surface	Brackets
		Screws
	Recessed	Brackets
		Screws
Pendant	Suspended	Rods(Unistrut)
		Aircraft Cable

# **Fabric Diffuser**

Lightbox's smooth white fabric diffusers provides even diffusion and distribution of white and RGB LED illumination.

Seamless panels are available in sizes up to 12' wide x 50' long.

### **LED Type**

Integral LED options include choice of static color temperatures, tunable white, and RGBW options.

Wattage and Lumen outputs are per square foot.

Led Type	ССТ	Output/Wattage	Lumen Output
Static	2700K		
	3000K	19 W	674
	3500K		
	4000K		
Tunable White	2700-4000K		
RGBW	3000K White	7 W	76
	4000K White		

### **Fabric Optional**

Custom printed panels are available, with client provided artwork.

## **Input Voltage**

All LightBox use 120V-277V inut Voltage

## **Dimming Type**

LightBox is compatible with the following dimming systems



#### **Frame Color**

Aluminum frame description and colors offered

WH- White BL- Black AL- Aluminum

### **Dimensions**


Lightbox dimensions are custom specified.

To begin, select from straight or curved depth/heights:

3.9- 3.94"

Then specify width and overall length.

Seamless fabric diffusers can up to 12' wide and 50' long. Larger sizes are available with seams.





PROJECT NAME: FIXTURE TYPE:

Product sheet printed on:

Notes